

CERTIFIKAT

CERTIFICATE



**GODKENDT
TIL DRIKKEVAND**

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevarer med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:

03/00130

UDSTEDT / DATE OF ISSUE:

02-09-2019

UDLØBER / EXPIRY DATE:

14-02-2023

GODKENDELSESINDEHAVER / APPROVAL HOLDER:

CVR: 37152994
GPA Flowsystem A/S
Paul Bergsøes vej 8
2600 Glostrup

BYGGEVARE / BUILDING COMPONENT:

Saunders Membranventil Type A - rustfri



BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 02-09-2019 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver. Markedsføring og salg af byggevarer efter nærværende godkendelse omfatter de versioner af byggevarer, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 02-09-2019 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder. Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

København, den 02-09-2019

Trafik-, Bygge- og Boligstyrelsen

Danish Transport, Construction
and Housing Authority
Edvard Thomsens Vej 14
2300 København S
Mail: GDV@tbst.dk
Web: www.tbst.dk

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

03/00130

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:

BUILDING COMPONENT:

Saunders Membranventil Type A - rustfri

VERSIONER

VERSIONS

| VARETEKST: ITEM TEXT: | DIMENSION: DIMENSION: | VARE- / SERIENUMMER: ITEM / SERIAL NUMBER: |
|---|---------------------------------|--|
| Saunders membranventil type A, rustfri, DN15, muffler, membran 300. Saunders membranventil Type A, rustfri, DN15, muffler, membran XB. | DN15 | 415242504 |
| Saunders membranventil type A, rustfri, DN20, muffler, membran 300. Saunders membranventil Type A, rustfri, DN20, muffler, membran XB. | DN20 | 415242506 |
| Saunders membranventil type A, rustfri, DN25, muffler, membran 300. Saunders membranventil Type A, rustfri, DN25, muffler, membran XB. | DN25 | 415242508 |
| Saunders membranventil type A, rustfri, DN32, muffler, membran 300. Saunders membranventil Type A, rustfri, DN32, muffler, membran XB. | DN32 | 415242510 |
| Saunders membranventil type A, rustfri, DN40, muffler, membran 300. Saunders membranventil Type A, rustfri, DN40, muffler, membran XB. | DN40 | 415242511 |
| Saunders membranventil type A, rustfri, DN50, muffler, membran 300. Saunders membranventil Type A, rustfri, DN50, muffler, membran XB. | DN50 | 415242512 |
| Saunders membranventil type A, rustfri, DN65, muffler, membran 300. | DN65 | 415242513 |

| | | |
|---|-------|-----------|
| Saunders membranventil Type A, rustfri, DN65, muffler, membran XB. | | |
| Saunders membranventil type A, rustfri, DN80, muffler, membran 300. Saunders membranventil Type A, rustfri, DN80, muffler, membran XB. | DN80 | 415242514 |
| Saunders membranventil type A, rustfri, DN15, flanger, membran 300. Saunders membranventil Type A, rustfri, DN15, flanger, membran XB. | DN15 | 415272504 |
| Saunders membranventil type A, rustfri, DN20, flanger, membran 300. Saunders membranventil Type A, rustfri, DN20, flanger, membran XB. | DN20 | 415272506 |
| Saunders membranventil type A, rustfri, DN25, flanger, membran 300. Saunders membranventil Type A, rustfri, DN25, flanger, membran XB. | DN25 | 415272508 |
| Saunders membranventil type A, rustfri, DN32, flanger, membran 300. Saunders membranventil Type A, rustfri, DN32, flanger, membran XB. | DN30 | 415272510 |
| Saunders membranventil type A, rustfri, DN40, flanger, membran 300. Saunders membranventil Type A, rustfri, DN40, flanger, membran XB. | DN40 | 415272511 |
| Saunders membranventil type A, rustfri, DN50, flanger, membran 300. Saunders membranventil Type A, rustfri, DN50, flanger, membran XB. | DN50 | 415272512 |
| Saunders membranventil type A, rustfri, DN65, flanger, membran 300. Saunders membranventil Type A, rustfri, DN65, flanger, membran XB. | DN65 | 415272513 |
| Saunders membranventil type A, rustfri, DN80, flanger, membran 300. Saunders membranventil Type A, rustfri, DN80, flanger, membran XB. | DN80 | 415272514 |
| Saunders membranventil type A, rustfri, DN100, flanger, membran 300. Saunders membranventil Type A, rustfri, DN100, flanger, membran XB. | DN100 | 415272516 |
| Saunders membranventil type A, rustfri, DN125, flanger, membran 300. Saunders membranventil Type A, rustfri, DN125, flanger, membran XB. | DN125 | 415272517 |